

Product Data Sheet

Model: PD49NL

Specifications	
Display Panel	
Model	PD49NL
Panel	48.5 inches LED backlit
Active Area(mm)	1074(H)×604.3(V)
Aspect Ratio	16:9
Resolution	1920×1080
Brightness	450 cd/m ²
Contrast Ratio	1300:1
Viewing Angle	178°
Display Colors	10Bit(D), 1.06Billion colors
Life Expectance	60000 hours
Ports	
Interface	3*Video、VGA、DVI、RGB/HV、HDMI、YPbPr、2*Audio、RS232 IN DB9(female)、RS232 OUT DB9(male)、RJ45
Media and Control	
Video Format	Avi, mp4, ts, trp, mkv, mov, mpg, dat, bob
Audio Format	Mp3, wma, m4a, aac
Picture and text	Bmp, jpg, jpeg, png, txt
Screen Mode	Landscape, Portrait, Full screen, Divided Screen
Play Time Control	Supported
Content Input Method	USB
Other Parameters	
Product Size(mm)	1077.5(H)×607.8(V)×113.8(D)
Package Size(mm)	1265(H)×840(V)×254(D)
Bezel(mm)	3.5mm (left:1.16; right: 2.34; up: 1.15; down: 2.35)
Weight	Net:26KG Gross:32KG
Maximum Power Consumption	160W
VESA	300*600mm
Mounting Orientation	Landscape, Portrait
Time Control	Support for multiple on and off tasks
Power Supply	AC100-240V(50/60HZ)
Working Temperature	0~50°C
Working Humidity	10% ~ 80%RH
Accessories	Remote Control, Power Cable, DID Silica Gel Gasket

Front View



Rear View



Side View



Dimensions

